


## NOVEMBER 1987

LESRO MODELS LTD. STONY LANE, CHRISTCHURCH, DORSET BH23 7LQ. ENGLAND Telephone (0202) 476902

Directors: K. FIRTH, J. FIRTH (Sec.), R.J. AIRES Consultant & Designer: L.J. ROWELL





B.R.C.A.

1/12th SCALE MOTORS

RETAIL

RC1000 water dipped stock motor BRCA 1987 Specification (35T-23AWG) Igarashi stock 1/12th road race motor. Water dipped to perfectly seat themotor Brushes. Magnets zapped.

The best stock motor available.

£13.50

RC1002 Silver Streak

The same motor as RC1000 but the motor has been opened, the commutator was re-trued, the arm was re-balanced, the magnets zapped and re-assembled and broken in.

Extra Over Facility

£2.68

1/10th SCALE OFF ROAD MOTORS

B.R.C.A. APPROVED FOR 1987/88

RC2000 Kyosho Stock Motor

The "state of the art" in stock motor technology. This "KYOSHO" stock motor comes pre-tweaked from the factory. The commutator comes cranked, the springs are re-bent, the magnets are zapped and it is already broken in. 28 Turn Single H.T.

£14.99

	RETAIL
RC2002 Custom Modular Sprint Motor	
This is our best off-road motor as used by "GIL LOSI JR" to win the	
"Ifmar Off Road Modified World Championship. The MODULAR SPRINT MOTOR	
features the Trinity modular endbell system for more low end punch.	
Primarily designed for 4 wd cars, 4 minute heats.	£40.00
RC2003 Modular Enduro Motor	
This motor has all the features as has our "Sprint" motor but comes	
with a milder armature for more running time. This motor is designed	
for 5 minute heats with 2 and 4 wd cars.	£40.00
RC2004 Pure Gold	
This is the only motor to use in 2 wd cars like the RC10 if you are	
serious about modified racing. This motor has been developed over	
the last year to become "the" motor for 2 wd. Its armature has a	
special "skewed" blank which produces a smooth power curve. This	
means the same top end you are used to, but without the violent	
punch that a "Sprint" motor produces. This eliminates the wheel	
spin out of the turns associated with 2 wd modified racing. This	
is also the only modified motor to feature an un-meltable aluminium	
endbell which makes themotor run cooler as it draws heat away from	
the motor brushes.	~~~ ~~
are motor brasikes.	£40.00
RC2005 Oval Motor	
This motor is designed primarily for off-road oval racing. It is	
made for 3 to 4 minute heats depending on the gearing. This motor	
is based on our "PURE GOLD" can and end bell, but uses a normal	
armature for awesome acceleration off the corners. Good for 4 wd	2/2 22
or well hooked up 2 wd's.	£40.00
RC2006 Turbo Blast	
New econo off-road buggy motor. Based on our "World Championship"	
winning "Sprint" motor. This machine wound modified uses a stock	
Kyosho can and end bell. This is a very good "starter" motor for	£29.26
someone getting into modified racing and it also makes an excellent	227.20
back up motor.	
D. CO. CO. C.	
RC2007 Drag Race Motor	
	00.00
This is the fastest motor yet. Designed for drag racing or 3	
	£40.00
This is the fastest motor yet. Designed for drag racing or 3	240.00
This is the fastest motor yet. Designed for drag racing or 3	240.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)	
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor  Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)	
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor  Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor  Same as above but hotter wind (Davis Wind)	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor  Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor  Same as above but hotter wind (Davis Wind)  RC2010 Oval Blast	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor  Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor  Same as above but hotter wind (Davis Wind)	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor  Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor  Same as above but hotter wind (Davis Wind)  RC2010 Oval Blast	£40.00
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor Same as above but hotter wind (Davis Wind)  RC2010 Oval Blast Machine wound econo dirt oval motor 2 & 4 wheel drive	£40.00 £40.00 £29.26
This is the fastest motor yet. Designed for drag racing or 3 minute oval heats, built with our gold can and end bell.  RC2008 Pavement Oval Motor Designed for 1/10th oval racing with Predator Cars (Lake Whipperwill Wind)  RC2009 Pavement Oval Motor Same as above but hotter wind (Davis Wind)  RC2010 Oval Blast Machine wound econo dirt oval motor 2 & 4 wheel drive  RC2011 Joel Johnson Signature	£40.00

.

-

## TRINITY ACCESSORIES

## Annatures

All armatures are hand wound using hi-temp wire. The commutator tabs are welded and the armature is epoxied in a vacuum chamber to ensure total penetration of the epoxy. The commutator is then diamond trued and the armature is dynamically balanced to the lowest tolerances possible.

RC3006	"Sprint" for 4 wil cars, 4 minute heats	£20.00
RC3007	"Enduro" for 2 or 4 wd cars, 5 minute heats	£20.00
BC3008	"Pure Gold" "skewed" blank, for 2 wd, 4 minute heats	£20.00
RC3009	"Oval" for 3 or 4 minute oval races	£20.00
RC3010	"Drag Armature" for drag races or 3 minute oval heats	£20.00
RC3014	"Pavement Oval Armature" replacement armature for 2008	£20.00
RC3015	"Pavement Oval Armature" " 2009	£20.00
RC3016	"Joel Johnson Signature Armature" replacement armature for 2011	£20.00
Motor Acce	essories	
RC4000	Modular Brushes shunted motor brushes, fits all modular end bell systems	
	(Six pairs at	per pair £ 0.96
RC4001	Modular Brushes & Springs same as above but with springs	£ 1.99
RC4002	Replacement Modular Springs (x-lite)	£ 0.88
RC4003	Replacement Modular Springs (lite)	£ 0.88
RC4004	Replacement Modular Springs (medium)	£ 0.88
RC4005	Kyosho/Yokomo Brushes & Springs replacement stock brushes for the	
12000	Kyosho or Yokomo Motor	£ 3.50
RC4006	Cut Brushes re-designed Kyosho/Yokomo motor brushes for modified	
1201000	motors. Increases RPMS and motor performance.	£ 3.00
RC4007	Timed Brushes cut motor brushes for stock Kyosho/Yokomo motors only.	£ 3.00
1201007	These brushes advance the timing to increase the RPMS of your stock motor	
RC4008	Motor Tape black tape to secure motor end bell to can. Can also be	
1201000	used to tape speed controllers and receivers back together.	£ 2.49
RC4009	Disc Capacitor Six at	£ 0.58
RC4010	Electrolytic Capacitor Six at	£ 0.82
RC4011	Capacitor Kit	
	The only way to really set up your motor to avoid radio interference.	
	A must when running with the "Auto Count" system. Comes with 2 disc	
	capacitors, 1 electrolytic capacitor and instructions	£ 1.92
RC4014	Replacement Kyosho Motor Can comes with the magnets & ball bearing	
1001021	installed.	£12.00
RC4015	Pure Gold Replacement Motor Can comes with the magnets & ball bearing	
12.02	installed. The mounting plate is made from a harder alloy.	£13.33
RC4016	Replacement Ball Bearing Endbell standard Kyosho endbell with large	
120,020	brushes. Comes with the timing ring and the lead wires installed.	£13.00
RC4017	Replacement Modular Endbell	
100.027	Kyosho endbell that employs the Trinity Modular Brush System for	£20.00
	a more efficient running motor. Comes with the timing ring and the	
	lead wire installed. Also includes brushes and springs.	
RC4018	Replacement Pure Gold Endbell	
10.020	The only aluminium end bell for R/C motors. Will not melt and makes	£20.00
	the motor run cooler by drawing heat away from the motor brushes.	
	Comes with timing ring and the lead wires installed.	
RC4019	Silver Shunt Wire for shunting brushes that do not have shunts.	£ 1.00
RC4020	Spring Insulation for insulating modular springs.	£ 0.41
RC4021	Motor Tube	£ 0.83
RC4023	Motor Spray (24 oz) Freon based motor spray that will not harm plastics.	
i word	The only way to clean out your motor. This spray will leave no residue	
	on the commutator. Increases motor life.	£ 5.88
	on the commutation. Thereases mount inter-	VERE TO THE PERSON OF THE PERS

RC4024	Turbo Drops	
	Put several drops on the commutator to increase RPMS. The only	
	"power boost" that really works. Recommended for stock motors only.	£ 2.83
RC4025	Micro Oiler Precision pin point oiler for ball bearings.	£ 1.50
RC4026	Micro Oiler same as above but for oilites.	£ 1.50
RC4027	Steel Motor Spacers	
LEGYOLI	Assortment of .005 and .010 motor Spacers. Can also be used for front	
	wheel spacers on 1/12th scale cars.	£ 1.33
RC4028	Kyosho/Yokomo Springs (pack of six pairs)	
BL-HUZD	Replacement stock motor springs. These should be replaced every time	
		£ 7.98
DC/020	you change themotor brushes.	27.20
RC4030	Bearing Setter This tool is designed to remove or install bearings	
	or bushings in Kyosho/Yokomo motors. The bearings can be removed for	£ 7.32
	cleaning or replacement then reinstalled without damage.	1 7.32
RC4032	Lite Springs (pack of six pairs)	
	Lite tension replacement springs for Kyosho/Trinity/Yokomo Motors	0.7.00
	using big brushes.	£ 7.98
RC4033	Heavy Springs (pack of six pairs) same as above but heavy tension.	£ 7.98
RC4034	Contoured Brush cut motor brush designed to get the optimum	
	performance out of 1/12th scale motors that use big brushes.	£ 3.06
RC4035	Off Road Brush specially designed motor brush cut and made of a	
	harder material to withstand the abuse of off-road racing.	£ 3.06
RC4036	Motor Cover	£ 1.66
RC4037	Hard Contoured same as 4034 brush but out of a harder material for	
	longer brush life.	£ 3.06
RC4038	New Hard Brush replacement motor brush for Yokomo/Kyosho motors,	
	new hard material for longer brush life.	£ 1.92
Electrica	1 Accessories	
RC5001	6 Cell Matched Pack	£26.95
RC5003	Battery Shunts solid silver braid for connecting your batteries.	
	Carries more current than the battery tabs or ordinary wire can.	£ 1.16
RC5004	KOSTO FILOR DOD COTTOSIVE FIGURE FILOR THE A SQUEEZE DOUCLE, DELICULARIES	
RC5004	Rosin Flux non corrosive liquid flux in a squeeze bottle, perfect for soldering together your battery packs.	£ 1.34
	soldering together your battery packs.	£ 1.34 £ 0.89
RC5006	soldering together your battery packs.  Super Flex Wire (2 feet) 16 awg hook up wire, red or black.	£ 0.89
RC5006 RC5007	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.	
RC5006	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " ", the thickest wire	£ 0.89
RC5006 RC5007 RC5008	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.	£ 0.89
RC5006 RC5007	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge	£ 0.89 £ 1.93
RC5006 RC5007 RC5008	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.	£ 0.89 £ 1.93 £ 2.08
RC5006 RC5007 RC5008 RC5012	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " " " " " " " " " " " " " " "	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " " " " " " " " " " " " " " "	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Servo Tape (narrow) super sticky black servo tape on a roll.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01
RC5006 RC5007 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Servo Tape (narrow) super sticky black servo tape on a roll.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036 Car Acces RC6000 RC6001	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036 Car Acces RC6000 RC6001	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched SCR's 7 " " " " " "  Matched Scryos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Socries  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.  Body Clips made of thicker wire than normal clips so they do not fall out. The ends are bent up for easy removal.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93
RC5006 RC5007 RC5008 RC5012 RC5014 RC5033 RC5034 RC5036 Car Acces RC6000 RC6001 RC6001 RC6002	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Sories  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.  Body Clips made of thicker wire than normal clips so they do not fall	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036  Car Acces RC6000 RC6001 RC6001 RC6002	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  ssories  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.  Body Clips made of thicker wire than normal clips so they do not fall out. The ends are bent up for easy removal.  Nylon Body Washers use under body clips so the body does not break.  Parts Tube	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93
RC5006 RC5008 RC5012 RC5013 RC5014 RC5033 RC5034 RC5036  Car Acces RC6000 RC6001 RC6001 RC6002	Super Flex Wire (2 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (5 feet) 16 awg hook up wire, red or black.  Super Flex Wire (2 ½ feet) 14 awg " " ", the thickest wire available with the least voltage loss in R/C car racing, red or black.  Battery Discharge Resistors 2 30 ohm resistors to slowly discharge your battery packs, leave these on your batteries between charges.  Mini Switch light weight switch to turn your radio gear on and off.  Solder hi temp solder for excellent electrical contact.  Matched SCR's 6 cell matched SCR Pack.  Matched SCR's 7 " " " " "  Matched Sanyos 8 equally matched Sanyo sub cells for optimum performance in boats and airplanes.  Sories  Servo Tape (narrow) super sticky black servo tape on a roll.  Servo Tape (wide) same as above but wide.  Body Clips made of thicker wire than normal clips so they do not fall out. The ends are bent up for easy removal.  Nylon Body Washers use under body clips so the body does not break.	£ 0.89 £ 1.93 £ 2.08 £ 1.00 £ 2.08 £ 3.87 £28.89 £33.71 £31.01 £ 1.64 £ 1.93

RC6008	Wing Buttons aluminium wing buttons are adjustable from the top.	£ 1.49
RC6009	Silicone squeeze bottle of silicone lube for diffs, gears and damping	
	sliding pillar front suspensions.	£ 2.00
RC6010	Econo Roll Over Antenna fibreglass antenna with mount.	£ 3.16
RC6018	Wire brush for cleaning dirt off of off-road tyres.	£ 2.66
RC6019	Body Punch this tool punches perfect body mounting holes in lexan bodies	£ 4.16
RC6021	Optima Axles hardened one piece axle, universal joint, dog bone for the	246 00
	Kyosho Optima. Fits the front or rear drive train.	£16.80
RC6030	Servo Saver fits all Futaba servos.	£ 1.78
	Accessories	
RC7031	Threaded Rod 2 12" pieces of 4/40 threaded rod	£ 0.94
RC7032	Universal Linkage Kit rod, links & hardware to make your own linkages.	£ 4.16
RC7033	Links 2 4/40 threaded heim joints.	£ 1.06
RC7034	Screw Assortment 2/56 screw and nut assortment.	£ 1.00
RC7036	300 Safety Linkage Balls these balls replace all the 3 mm ball ends	
	in your Optima, Radiant or Ultima. The metal balls have a recess for E	0 / 1/
	clip which keeps the linkage from poping apart.	£ 4.16
RC7038	RC10 Shock Seals replacement RC10 '0' ring shock seals.	£ 0.89
RC7039	RC10 Shock Shaft Silicone Seals for non leak super smooth shock	0 1 10
20000	operation.	£ 1.19
RC7040	Flexible Antenna Vertical Mount flexible hollow antenna for frog etc.	£ 0.94
RC7041	Antenna Tips tired of buying a whole new antenna because you lost the	£ 0.47
D070/0	tip, now you can replace the tip only six per bag.	£ 1.49
RC7048	Heim Joints super heavy 4/40 by 1/4 heim joints, package of 2.	£ 1.49
RC7049	Buggy Tyre real soft rear off road tyre for maximum traction, fits	£ 6.26
RC7050	all 2" rims like option house, fox, etc.	2 0.20
RC/USO	Buggy Type same as above but for the front, fits 2" wheels ideal for the cat.	£ 6.26
Graphite		2 0.20
RC8004	Associated RC10 Plate carbon fibreplate for the RC10 with the kick	£51.12
NAZOU4	up in it for the front end.	
RC8005	Associated RC10 Shock Towers (front and rear)	£ 9.53
RC8010	RC10 Wide Front End Chassis the same as 8004 but with a 2" wider	£51.12
142010	front track, this increases steering and over jump stability.	2.11.12
RC8011	Wide Shock Towers to fit the "wide front end" and "foam" RC10 chassis.	£12.91
RC8012	Oval Chassis super lite narrowed RC10 chassis plate, designed for oval	£30.67
	racing.	250.07
RC8013	Optima Chassis plate uses hot trick mounts.	£20.41
RC8014	Optima Radio Tray for use with chassis plate 8013, needs hot trick	£10.19
	mounts.	
RC8015	RC10 Foam Plate same as our wide front end plate but 2 oz lighter	£51.12
	due to construction of graphite and structural foam.	
RC8017	Optima Right Rail graphite rail replaces all aluminium transmission	£23.14
	mounts and chassis rails.	+
RC8018	Optima Left Rail same as above but for left side.	£23.14
RC8019	Optima Radio Tray fits stock optima or when using our replacement rails	£21.78
RC8020	RearShock Mount optima shock mount for large assoc. shocks.	£10.87
RC8021	Front Shock Mount optima shock mount allows large associated shocks	£ 8.14
	to be mounted.	205 40
RC8022	Replacement Parts these pieces replace the aluminium transmission	£25.18
	mounts on the Optima.	
RC8024	Motor Spacer graphite motor spacer keeps dirt out of the	£ 2.21
	transmission on RC10, Yokomo and Optima cars.	£ 9.50
RC8025	Ultima Front Shock Tower	£12.91
RC8026	Ultima Rear Shock Tower	£27.23
RC8027	Ultima Radio Tray for use with stock chassis.	-
RC8028	Ultima Chassis Plate flat chassis with kick up. Converts Optima to	£54.53
	RC10 configuration.	

G! C	Adalasas and PAs			
RC9000	Team Trinity Sponsor	Chant (addition)		£ 1.66
	Team Trinity Sponsor			£ 1.66
RC9001			horsepower shirt (S,M,L,XL).	£11.67
RC9002			norsepower sinite (5,11,11,11).	
RC9003	Team Trinity Long Si	ith the Trinity logo	on the sleaves	£17.50
pc0004		ith the limity logo	on the steeves.	£ 9.92
RC9004	Team Trinity Hat	tr "monator horsenors	er" banner, looks like	2 / . / 2
RC9005	motor sticker.	ty monster norsepowe	t barrier, 100ks like	£ 8.94
Coom	iibwi suckei.			2 0.74
Gears Thosa con	re rel 11 he imiguely d	ifferent then present	t gears of this type due to the	2
			filled material. This will	
compositi	on or the spur gears	will are a graphice	on dusty tracks and will hold	
resurt in	for off rood rooing	The coer also has n	nore ball holes, of a closer	
to belief	which keep the hell	from falling out of	f the gear every time you	
			ws a finer adjustment of the	
	s is especially impor			
			nined for the closest	128.1 m
			running gear. After much	134
			lts in a much smoother	
			ar teeth between 20 to 30%.	
	tes to a more efficie			
			0, 12E, 121, 12L, TRC PRO12,	
	&D Predator.	Caro, 120002acca 11021	·,,,,	
RC0018	18 Tooth Pinion			£ 2.98
RC0019	19 " "			£ 2.98
RC0020	20 " "			£ 2.98
RC0021	21 " "			£ 2.98
RC0022	22 " "			£ 2.98
RC0023	23 " "			£ 2.98
BC00024	24 " "		The state of the s	£ 2.98
RC0025	25 " "	- 2		£ 2.98
RC0026	26 " "			£ 2.98
RC0028	28 " "			£ 2.98
RC0030	30 " "	190 ·		£ 2.98
RC0032	32 " "			£ 2.98
RC0034	34 " "			£ 2.98
RC0036	36 " "		· · · · · · · · · · · · · · · · · · ·	£ 2.98
RC0098	98 Tooth Spur			£ 3.57
RC0100	100 Tooth Spur			£ 3.57
RC0104	104 Tooth Spur			£ 3.57
RC0108	108 Tooth Spur			£ 3.57
RC0110	Super Balls ultra p	recision diff balls	for use with the new Trinity	£ 1.78
	Spur Gears	- 75		6 1 10
RC0111	Pinion Set Screws 1	nardened set screws f	or pinion gears.	£ 1.18
	7.			
	Suspension Racing Flui		m · · · · · ·	
			orms. This oil does not	
foam or s	swell up the shock sea	als.R & R shock oil	comes in the following weights:-	
5		3		_ 845
10			)	
15 20			j	*
20 30	34		)	
30				£ 2.23
40			(	3
50 90		7	)	
140	7.			